

LONGLIFE diamond

Long-lasting, high gloss emulsion polish



Sustainability Information

Sustainable Contribution

- Developed to fulfill the Austrian Ecolabel
- Registered in the positive list of 'DIE UMWELTBERATUNG'
- Complete abandonment of toxic and harmful materials
- Outperforms other products at lower use concentration
- With surfactants of renewable plant-based origin



Quality & Performance

- More than 30 years of experience in the development of high-performance and integrally sustainable cleaning concepts.
- Our Green Care Professional products are produced exclusively in the EMAS-certified plants in Mainz and Hallein in compliance with the highest quality standards



Safe for humans & environment

- Our formulas and packaging are safe for humans and nature as well as biological and technical cycles when used properly
- LONGLIFE diamond is formulated from readily biodegradable raw materials



Circular cleaning products

- Production with intensive use of renewable raw materials and energy up to 100% from hydropower, solar and geothermal power
- To find out how much plastic, CO₂ and crude oil can be saved with Green Care Professional products, visit: get.wmprof.com



Sustainable profitability

- Our intelligent systems and efficient formulas enable precise and economical dosing as well as complete emptying of the packaging
- Comprehensive and consistently practiced philosophy of sustainable management



Comprehensive Service

- As a strategic partner, we offer comprehensive know-how transfer through holistic consulting and support as part of our Green Care Academy
- Customized hygiene plans and cleaning recommendations optimizing your cleaning procedures and thus your business

Product certificates



Company certificates of Management Systems



EMAS: Most demanding system for sustainable environmental



DIN ISO 14001: Internationally recognized environmental management system



DIN ISO 50001: Internationally recognized energy management system



DIN ISO 9001: Internationally recognized quality management system



EcoVadis: Provider of business sustainability ratings

ONGLIFE diamond

Long-lasting, high gloss emulsion polish

Long-lasting | High gloss | Easy application

Product profile

- LONGLIFE diamond is a high gloss and resistant emulsion polish which protects the flooring and is wear and tear resistant.
- The time- and cost-saving LONGLIFE diamond is recommended wherever an excellent look or a durability of the protection film is desired.
- LONGLIFE diamond with its uniform look is highly resistant to heel marks and soils even during highest strains.
- The high-speed-polishing increases the durability and furthermore it reduces resoiling and enables lasting cleanness.
- LONGLIFE diamond is fast and simple in the processing, shows an excellent flow and an appealing high gloss.
- By the complete abandonment of hazardous ingredients such as zinc, TBEP, perfume, and fluorinated levelling agents, LONGLIFE diamond takes on the responsibility for future generations.

Area of application

- LONGLIFE diamond belongs to the hard/strong, extremely durable polymer dispersions and is very suitable for the maintenance of PVC, linoleum, specific plastic coverings etc.
- Do not apply on unsealed wood and polished stone floors.

Ingredients, handling, storage and environmental instructions

For the ingredients list, please see the Safety Data Sheet. Product strictly reserve for a professional use. For all information regarding handling, storage conditions and disposal, please see the Safety Data Sheet.

Product variants


716060 - 2x 5 l




pH value



Application and Dosing




Dose in relation to application. Follow below instructions.



Floor preparation:


Strip the floor, remove all dirt and old dispersion layers.



concentrated


Initial treatment:

Apply 2-3 thin and uniform layers. Drying time between the applications at least 30min.



Large areas:

Work in sections and apply wet in wet. Usage: approx. 2l / 100 m².



200 ml/l

Coating refreshment:

Remove slight scratches using the spray-cleaner-method and a highspeed machine with red pad.



After awaiting the fair drying time (one day) polish with Ultra High-Speed-Method (>1000 U).

Learn more at: www.green-care-academy.com