


# APESIN combi DR



## Liquid all-purpose disinfection cleaner

- One product for all areas
- Time and cost saving
- without build-up of QUATs films

### Product profile

- Disinfects and cleans in one operation. APESIN combi DR is perfectly adapted for disinfecting surfaces and parts.
- APESIN combi DR reliably removes all kinds of greasy dirt as well as residues with a high load of protein quickly without using any volatile organic compounds, chlorine or quaternary ammonium compounds.
- APESIN combi DR is ideally suited for the use in kitchen and food processing areas (PT4) as well as institutional areas (PT2).

### Area of application

- Can be used in kitchen and food processing areas (PT4) for simultaneous disinfection and cleaning of all washable surfaces, e.g. in catering, restaurants, canteens, etc.
- Can be used in institutional areas (PT2) such as retirement homes, schools, kindergartens, public facilities, etc. as well as in healthcare areas such as hospitals, nursing homes and medical offices for simultaneous disinfection and cleaning of all washable surfaces.
- For detailed information on disinfection standards and spectrum of activity see next page. Allow solution to work according to the respective exposure times.
- Please check material compatibility on not visible spot prior to use. May harm linoleum floors, acrylic glass and aluminum when applied in high dosages.
- Surfaces in direct contact with food (PT4) must be rinsed with water after action time.

### Ingredients

Ingredients per 100 g: 6,7 g LAURYLAMINE DIPROPYLENEDIAMINE, <5 % non-ionic surfactants, anionic surfactants

### Sustainable development and production



### Product safety, storage and environmental instructions

**Safety:** For professional use only. For further information, see Safety Data Sheet. Use biocides safely. Always read the label and product information before use.

**Storage:** Store at room temperature in the original container.

**Environmental:** Dispose of container into the collection of recyclables only when it is completely empty.

### Application & Dosing



Dose in relation to application and degree of soil. Follow below instructions.



Ideal for application on surfaces in kitchen and food processing areas (PT4).



Ideal for application on surfaces in health-care areas (PT2).



Ideal for application on surfaces in institutional areas (PT2).



**Floor disinfection:** wipe floor wet.



Surfaces in direct contact with food (PT4) must be rinsed with water after action time.

#### Sales units:


Order No.: 1113199 2 x 5 L  
Order No.: 1113212 2 x 5 L

#### Your Trusted Partner On Site:

pH-Value



# APESIN combi DR



## Liquid all-purpose disinfection cleaner

Surface Disinfection:		contact time			
Surface Disinfection: Food area / industrial & institutional area		5 min.	15 min.	30 min.	60 min.
bactericidal + yeasticidal activity					
EN 1276 + EN 1650 + EN 13697	High organic load		1,5 %		
activity against specific bacteria					
EN 1276 + EN 13697 <i>Listeria monocytogenes</i>	High organic load		1,5 %		
EN 1276 + EN 13697 <i>Salmonella typhimurium</i>	High organic load		0,5 %		
Surface Disinfection:		contact time			
Medical Area		5 min.	15 min.	30 min.	60 min.
bactericidal + yeasticidal activity (without mechanical action)					
EN 13727 + EN 13624 + EN 13697	High organic load		5,0 %		
bactericidal + yeasticidal activity (with mechanical action)					
EN 13727 + EN 13624 + EN 16615	High organic load		5,0 %		
virucidal activity (with mechanical action)					
effective against enveloped viruses (incl. HIV, HBV, HCV)	High organic load	3,0 %	2,0 %	1,5 %	
virucidal activity (without mechanical action)					
effective against enveloped viruses (incl. HIV, HBV, HCV)	High organic load	3,0 %			
individual test organisms					
EN 14476 Vaccinia Virus (MVA)	High organic load	3,0 %	2,0 %	1,5 %	
EN 16777 Vaccinia Virus (MVA)	High organic load	2,0 %			
EN 14476 Bovine viral diarrhea Virus (BVDV)	High organic load	1,0 %			
EN 14476 Influenza virus (H1N1)	High organic load	1,0 %			
VAH-Certificate		contact time			
Surface disinfection in medical areas		5 min.	15 min.	30 min.	60 min.
bacterial and yeasticidal activity	with mechanical action, dirty conditions	5 %			