

# APESIN rapid plus



## Liquid fast-acting Surface disinfectant cleaner

- Broad activity
- Versatile
- 2-in-1

### Product profile

- APESIN rapid plus is a liquid fast-acting surface disinfectant cleaner for entire institutional, medical and food-processing areas.
- With a broad activity against bacteria, yeast, fungi and viruses.
- For simultaneous disinfecting and cleaning of washable surfaces and items.
- APESIN rapid plus is free of fragrances.
- The short contact times enable efficient work processes.

### Area of application

- APESIN rapid plus should be applied with wet wiping method (mechanical action).
- Always pay attention to complete wetting of the surface and do not dry surface before completing required contact time. Follow the specified contact times for the respective product concentrations (see page 2).
- Surfaces with food contact need to be rinsed with clear water after use and contact time.
- APESIN rapid plus is suitable for surfaces and items made of e.g., PA/POM, acrylic glass, VA steel, etc. Before applying, a material compatibility examination in an inconspicuous place is recommended.
- Not applicable on metals such as brass, copper or aluminum.

### Ingredients:

Ingredients per 100g: 5,0g didecyldimethylammonium chloride, 5,0g Quaternary ammonium compounds, benzyl-C12-16-alkyl-dimethyl, chlorides, <5% anionic surfactants.

### Sustainable development and production:



### Product safety, storage and environmental instructions

**Safety:** For professional use only. Test material compatibility in an inconspicuous place before applying. For further information, see Safety Data Sheet. Use biocides safely. Always read the label and product information before use.

**Storage:** Store at room temperature in the original container. Keep from freezing.

**Environmental:** Only give completely emptied container to special waste disposer.


### Application and dosing



Dose in relation to application.  
Please note hints and dosing table.



Maintenance cleaning: Mop the floor with a clean mop.



Surface cleaning:  
Wipe the surface wet with a clean cloth.



#### Sales units:

Order No.: 716035      2 x 5 L  
Order No.: 716033      4 x 2 L

Your trusted partner on site:

pH-Value:



# APESIN rapid plus



## Liquid fast-acting Surface disinfectant cleaner

Surface Disinfection:		Temperature	contact time					
Food area / industrial & institutional area	Ambient temperature		1 min.	5 min.	15 min.	30 min.	60 min.	
<b>bactericidal activity</b>								
EN 1276	high organic load	20 °C	1%	1%			1%	
EN 13697	high organic load	20 °C	3%	1,5%			0,75%	
<b>yeasticidal activity</b>								
EN 1650	high organic load	20 °C	0,75%	0,5%	0,5%		0,5%	
EN 13697	high organic load	20 °C	2%	1%	1%		0,25%	
<b>fungicidal activity</b>								
EN 1650	high organic load	20 °C			4%		2%	
EN 13697	high organic load	20 °C			3%		2%	
<b>Surface Disinfection:</b>		contact time						
Food area / industrial & institutional area		Temperature	1 min. 5 min. 15 min. 30 min. 60 min.					
Lowered temperature								
<b>bactericidal activity</b>								
EN 1276	high organic load	4°C			1%	0,75%		
EN 13697	high organic load	4°C			1%	0,5%		
<b>yeasticidal activity</b>								
EN 1650	high organic load	4°C			0,5%			
EN 13697	high organic load	4°C			0,25%			
<b>fungicidal activity</b>								
EN 1650	high organic load	4°C					2%	
EN 13697	high organic load	4°C					4%	
<b>Surface Disinfection:</b>		contact time						
Medical area		Temperature	1 min. 5 min. 15 min. 30 min. 60 min.					
bactericidal activity								
EN 13697	high organic load	20°C	0,5%	0,5%	0,125%			
EN 16615	high organic load	20°C	2,5%	1%	0,25%			
<b>yeasticidal activity</b>								
EN 13624	high organic load	20°C	2,5%	0,5%	0,25%			
EN 16615	high organic load	20°C	2,5%	1%	0,25%			
<b>fungicidal activity</b>								
EN 13624	high organic load	20°C			5%		3%	
<b>virucidal activity</b>								
EN 14476 (full spectrum)	high organic load	20°C					4%	
EN 14476 limited spectrum virucidal activity	high organic load	20°C				2,5%		
EN 14476 virucidal activity against enveloped viruses (incl. HIV, Coronavirus, Hepatitis B and C virus and human and animal influenza viruses)	high organic load			2%		1%		
<b>EN 14476 individual test organisms</b>								
Vaccinia Virus	high organic load			2%		1%		
Murine Norovirus (MNV)	high organic load				2,5%			
Adenovirus	high organic load					2,5%		
Poliovirus	high organic load						4%	
<b>VAH-Certificate</b>		with mechanical action dirty conditions	contact time					
surface disinfection in medical areas bactericidal and yeasticidal activity			1 min.	5 min.	15 min.	30 min.	60 min.	
			2,5%	1%	0,5%	0,25%		

