

APESIN sanfizz



Liquid disinfecting sanitary cleaner

- Versatile
- Effective against viruses (full spectrum)
- Ready-to-use

Product Profile

- APESIN sanfizz is a scented ready-to-use disinfecting cleaner for sanitary area with a broad activity against bacteria, yeast, and viruses (full spectrum). This product fulfils the latest hygiene requirements and complies with EU Biocidal Products Regulation (BPR).
- APESIN sanfizz cleans, descales, deodorize with floral pleasant scent, and disinfect in one step.
- It even eliminates the most stubborn deposits of fat and protein. And makes the sanitary surfaces smooth and shiny again, e.g. bathtubs, showers, sinks, urinals, and toilets.

Area of application

- APESIN sanfizz is suitable for all acid resistant materials in sanitary area.
- The product can be used on ABS (acrylonitrile butadiene styrene), PC plastics, and PLEXIGLASS®/acrylic glass.
- Also applicable on chrome tapware in good conditions, and high-grade brass. If using on chrome platings which are in a bad condition, color changings / passivations may occur.
- For absorbent material, such as joints, wet with plenty of water.
- Before applying, a material compatibility examination in an inconspicuous place is recommended.

Application note

- Apply undiluted. Spray directly onto objects from a distance of 20-30 cm, so that surfaces are completely wetted, or apply on a clean and absorbent cloth and wipe the surface completely wet.
- Allow the solution to work, for detailed information and exposure time, see next page: Standards & spectrum of activity.

Ingredients:

Ingredients per 100g: 1,4g LACTIC ACID, <5% Anionic surfactants, Perfumes

Sustainable development and production:



Product safety, storage and environmental instructions

Safety: For professional use only. For further information, see Safety Data Sheet. Use biocides safely. Always read the label and product information before use.

Storage: Store at room temperature in the original container.

Environmental: Only give completely emptied packaging to special waste disposer.

Application & Dosing



Use undiluted in relation to application. Follow below instructions.



Sanitary cleaning: Spray onto a cloth or directly onto the surface. Make sure the surface is completely wetted. Allow solution to work and rinse afterwards.



Spray application: Allow the solution to work for at least 5 minutes.

Sales units:

Order No. 714815 10 x 750 ml

Your trusted partner on site:

pH-value:



APESIN sanfizz

Liquid disinfecting sanitary cleaner

Surface Disinfection:		exposure time				
		1 min.	5 min.	15 min.	30 min.	60 Min.

Food area / industrial & institutional area		1 min.	5 min.	15 min.	30 min.	60 Min.
---	--	--------	--------	---------	---------	---------

bactericidal activity

EN 1276	low organic load		X			
	high organic load		X			
EN 13697	low organic load		X			
	high organic load		X			

levuricide

EN 1650	low organic load			X		
	high organic load			X		
EN 13697	low organic load			X		
	high organic load			X		

Surface Disinfection:		exposure time				
		1 min.	5 min.	15 min.	30 min.	60 Min.

Medical area		1 min.	5 min.	15 min.	30 min.	60 Min.
--------------	--	--------	--------	---------	---------	---------

bactericidal activity

EN 13727	high organic load	X				
EN 13697	high organic load		X			
EN 16615	high organic load	X				

yeasticidal activity

EN 13624	high organic load		X			
EN 13697	high organic load				X	
EN 16615	high organic load	X				

virucidal activity

EN 14476 (full spectrum)	high organic load					X
EN 14476 limited spectrum	high organic load					X

virucidal activity

EN 14476 effective against enveloped viruses (incl. HIV, HBV, HCV)	high organic load		X			
--	-------------------	--	---	--	--	--

EN 14476 individual test organisms

Adenovirus	high organic load					X
Murine Norovirus (MNV)	high organic load					X
Poliovirus	high organic load					X
Rotavirus	without organic load		X			
Simian Virus 40 (SV 40)	high organic load		X			
Vaccinia Virus	high organic load		X			



APESIN sanfizz

Liquid disinfecting sanitary cleaner

Surface Disinfection:		exposure time				
Food area / industrial & institutional area		1 min.	5 min.	15 min.	30 min.	60 Min.
bactericidal + yeasticidal activity						
EN 1276 + EN 1650 + EN 13697	low organic load			X		
	high organic load			X		
Surface Disinfection:		exposure time				
Medical area		1 min.	5 min.	15 min.	30 min.	60 Min.
bactericidal + yeasticidal activity (with mechanical action)						
EN 13727 + EN 13624 + EN 16615	high organic load		X			
bactericidal + yeasticidal activity (without mechanical action)						
EN 13727 + EN 13624 + EN 13697	high organic load				X	
virucidal activity						
EN 14476 (full spectrum)	high organic load					X
EN 14476 limited spectrum	high organic load					X
virucidal activity						
EN 14476 effective against enveloped viruses (incl. HIV, HBV, HCV)	high organic load		X			
EN 14476 individual test orga- nisms						
Adenovirus	high organic load					X
Murine Norovirus (MNV)	high organic load					X
Poliovirus	high organic load					X
Rotavirus	without organic load		X			
Simian Virus 40 (SV 40)	high organic load		X			
Vaccinia Virus	high organic load		X			

